GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

PS – PR&RD Department, - Allegations of negligence in preparation of DPR for the work i.e. providing BT to the road from Kinchumanda Road to Pynampadu of Ananthagiri Mandal of Visakhapatnam District – Disciplinary proceedings against Sri I.V.Ramana, the then Assistant Executive Engineer (PIU), Ananthagiri and presently working at PIUSD, Pedabayalu under Rule 20 of the Andhra Pradesh Civil Services (Classification, Control & Appeal) Rules, 1991 – Article of Charges – Orders - Issued.

- -

PANCHAYAT RAJ AND RURAL DEVELOPMENT(VIG.I) DEPARTMENT

G.O.Rt.No.241 **Dated.08.03.2016.**
Read:-

From Engineer in Chief, Panchayat Raj, Andhra Pradesh, Hyderabad, Lr.No.Vig.I(1)/579/2015, Dt.09.06.2015.

***

ORDER:

It is proposed to hold an inquiry against Sri I.V.Ramana, the then Assistant Executive Engineer (PIU), Ananthagiri and presently working at PIUSD, Pedabayalu in accordance with the procedure laid down in Rule 20 of Andhra Pradesh Civil Services(classification, control and appeal) Rules, 1991.

2. The substance of the imputations of misconduct or misbehaviour in respect of which the inquiry is proposed to be held is set out in the enclosed statement of article of charges (Annexure-I). A list of documents by which, and a list of witnesses by whom, the articles of charge are proposed to be sustained are also enclosed (Annexure II and III).

3. Sri I.V.Ramana, the then Assistant Executive Engineer (PIU), Ananthagiri and presently working at PIUSD, Pedabayalu is directed to submit a Written statement of his defence within 10 days of the receipt of this order.

4. Sri I.V.Ramana, the then Assistant Executive Engineer (PIU), Ananthagiri and presently working at PIUSD, Pedabayalu is informed that an inquiry will be held only in respect of those articles of charge as are not admitted. He should, therefore, specifically admit or deny each article of charge.

5. Sri I.V.Ramana, the then Assistant Executive Engineer (PIU), Ananthagiri and presently working at PIUSD, Pedabayalu is further informed that if he does not submit his written statement of defence on or before the date specified in para 3 above or otherwise fails or refuses to comply with the provisions of Rule 20 of APCS (CC&A) Rules, 1991 or the orders/directions issued in pursuance of the said rules, the Inquiring Authority may hold the inquiry against him ex parte.

6. Attention of Sri I.V.Ramana, the then Assistant Executive Engineer (PIU), Ananthagiri and presently working at PIUSD, Pedabayalu is invited to Rule 24 of the Andhra Pradesh Civil Services(Conduct) Rules, 1964, under which no Government servant shall bring or attempt to bring any political or outside influence to bear upon any superior authority to further his interest in respect of matter pertaining to his service under the Government. If any representation is received on his behalf from another person in respect of any matter dealt with these proceedings it will be presumed that Sri I.V.Ramana, the then Assistant Executive Engineer (PIU), Ananthagiri and presently working at PIUSD, Pedabayalu is aware of such a representation and that it has been made at his instance and action will be taken against him for violation of rule 24 of APCS(Conduct) Rules, 1964.

(PTO)

7. The receipt of the order be acknowledgment.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

Dr.K.S.JAWAHAR REDDY
PRINCIPAL SECRETARY TO GOVERNMENT(PR)

To
Sri I.V.Ramana, the then Assistant Executive Engineer (PIU), Ananthagiri and presently working at PIUSD, Pedabayalu through Engineer-in-Chief, Panchayat Raj, Andhra Pradesh, Hyderabad.
The Engineer in Chief, Panchayat Raj, Andhra Pradesh, Hyderabad. (with a request to serve the charges to the individual and furnish a served copy to Govt.,)
SF/SC.

//FORWARDED::BY::ORDER//

SECTION OFFICER

ANNEXURE - I

STATEMENT SHOWING THE ARTICLE OF CHARGES AGAINST SRI I.V.RAMANA, THE THEN ASSISTANT EXECUTIVE ENGINEER(PIU) ANANTAGIRI AND PRESENTLY WORKING PIU SUB-DIVISION, PEDABAYALU

CHARGE:

That Sri I.V.Ramana, formerly AEE (PIU)Anantagiri and presently working PIU Sub-division, Pedabayalu has misused his official position and shown negligence in performing his legitimate duties and acted contrary to the Rules in following and in materializing the higher officer instructions.

BASIS:

The Superintending Engineer (PR) Visakhapatnam has submitted that for the sanctioned work "Pro.BT to the Road from Kinchumanda Road to Pynampadu of Ananthagiri Mandal" sanctioned under PMGSY package No. AP 19XA 073 stating that on physical verification it is not possible to execute the work as the DPR is not tallying with the actual field details which clearly indicates that Sri I.V.Ramana, formerly AEE(PIU) Ananthagiri and presently working at PIU Sub-divin. Pedabayalu has failed to discharge his legitimate duties and shown negligence in preparation of DPR for the above work within the norms stipulated by the Government which resulting non execution of work sanctioned by the Govt. of India.

As per Rule 3(3) of A.P.C.S.(Conduct) Rules 1964, no Government Employee shall act in a manner which will place his official position under any kind of embarrassment.

Hence the Charge.

Dr.K.S.JAWAHAR REDDY
PRINCIPAL SECRETARY TO GOVERNMENT (PR)

//TRUE COPY//

SECTION OFFICER

ANNEXURE-II

LIST OF THE DOCUMENTS BY WHICH THE ARTICLE CHARGES FRAMED AGAINST SRI I.V.RAMANA, THE THEN ASSISTANT EXECUTIVE ENGINEER(PIU) ANANTAGIRI AND PRESENTLY WORKING PIU SUB-DIVISION, PEDABAYALU.

Lr.No.39949/AEE3/PR Circle VSP/PMGSY-AP 19XA/073-Pynampadu/2014, Dt. 16.12.2014 of the SE, PR, Visakahapatnam.

Dr.K.S.JAWAHAR REDDY
PRINCIPAL SECRETARY TO GOVERNMENT (PR)

//TRUE COPY//

SECTION OFFICER

ANNEXURE-III

LIST OF WITNESSES BY WHICH THE ARTICLE OF CHARGES ARE FRAMED AGAINST SRI I.V.RAMANA, THE THEN ASSISTANT EXECUTIVE ENGINEER(PIU) ANANTAGIRI AND PRESENTLY WORKING PIU SUB-DIVISION, PEDABAYALU

NIL

Dr.K.S.JAWAHAR REDDY
PRINCIPAL SECRETARY TO GOVERNMENT (PR)

//TRUE COPY//

SECTION OFFICER